

Conforms to Regulation (EC) No. 1907/2006 (REACH), Annex II

Date of issue: 20/09/2016. Product name: XTAR 5W30 C1 DPF

Version:7 Product code: 51391

SECTION 1: Identification of the substance/mixture and of the company/undertaking

1.1 Product identifier

: XTAR 5W30 C1 DPF Name

Type : Lubricant Oil.

Product code : 51391

1.2 Relevant identified uses of the substance or mixture and uses advised against

Specific uses

Engine oil for light vehicles.

1.3 Details of the supplier of the safety data sheet

Supplier/Manufacturer,

Distributor or Importer

: CEPSA Comercial Petróleo, S.A.U.

Torre CEPSA, Paseo de la Castellana 259 A

Product

28046 Madrid - España

Email

: tuteladeproducto@cepsa.com productstewardship@cepsa.com

Telephone number

: +34 913 376 000

Hours of operation / Information limitations : 07:30 - 19:30 (CET)

1.4 Emergency telephone number 24h

Region / Country	Language	Telephone number
Europe	English, Albanian, Bulgarian, Czech, Danish, Dutch, Finnish, French, German, Greek, Hungarian, Italian, Lithuanian, Norwegian, Polish, Portuguese, Romanian, Russian, Serbo-Croatian, Slovak, Spanish, Swedish, Turkish, Ukrainian	+44 1235 239670
Spain	English, Spanish	+34 91 114 2520

SECTION 2: Hazards identification

2.1 Classification of the substance or mixture

Result Classification : The product is not classified as hazardous according to Regulation (EC) 1272/2008

as amended.

Classification according to : Not classified.

Regulation (EC) No.

1272/2008 [CLP/GHS]

Additional warning : EUH208 - Contains 1H-1,2,4-Triazole-1-methanamine, N,N- bis (2-ethylhexyl). May produce an allergic reaction. phrases (EUH)

EUH210 - Safety data sheet available on request.

2.2 Label elements

Signal word : No signal word.

Hazard statements Precautionary statements

CEPSA Comercial Petróleo, S.A.U. Torre CEPSA, Paseo de la Castellana 259 A 28046 Madrid - España

Date of issue/Date of revision

: 20/09/2016.

Page: 1/12



Conforms to Regulation (EC) No. 1907/2006 (REACH), Annex II

Product name: XTAR 5W30 C1 DPF Date of issue:20/09/2016.

Product code: 51391 Version:7

General: P103 - Read label before use.

P102 - Keep out of reach of children.

P101 - If medical advice is needed, have product container or label at hand.

Prevention : Not applicable.
Response : Not applicable.
Storage : Not applicable.
Disposal : Not applicable.

Supplemental label

elements

: EUH208 - Contains 1H-1,2,4-Triazole-1-methanamine, N,N- bis (2-ethylhexyl). May

produce an allergic reaction.

EUH210 - Safety data sheet available on request.

Annex XVII - Restrictions on the manufacture, placing on the market and use of certain dangerous substances, mixtures and articles

Special packaging requirements

Containers to be fitted

with child-resistant

fastenings

Tactile warning of danger : Not applicable.

2.3 Other hazards

Other hazards which do not result in classification

: None known.

: Not applicable.

: Not applicable.

SECTION 3: Composition/information on ingredients

Substance/Mixture : Mixture

Description: Product formulated with base oils and high quality additives.

			<u>Classification</u>	
Product/ingredient name	Identifiers	%	Regulation (EC) No. 1272/2008 [CLP]	Туре
Lubricating oils (petroleum), C20-50, hydrotreated neutral oil-based	REACH #: 01-2119474889-13 EC: 276-738-4 CAS: 72623-87-1 Index: 649-483-00-5	>=50 - <75	Asp. Tox. 1, H304	[1] [2]
Hydrotreated heavy paraffinic distillates (petroleum)	REACH #: 01-2119484627-25 EC: 265-157-1	>=5 - <10	Asp. Tox. 1, H304	[1]
3) Mineral Óil	-	>=1 - <5	Asp. Tox. 1, H304	[1] [2]
			See Section 16 for the full text of the H statements declared above.	

There are no additional ingredients present which, within the current knowledge of the supplier and in the concentrations applicable, are classified as hazardous to health or the environment, are PBTs or vPvBs or have been assigned a workplace exposure limit and hence require reporting in this section.

CEPSA Comercial Petróleo, S.A.U. Torre CEPSA, Paseo de la Castellana 259 A 28046 Madrid - España Date of issue/Date of revision

: 20/09/2016.

Page: 2/12



Conforms to Regulation (EC) No. 1907/2006 (REACH), Annex II

Product name: XTAR 5W30 C1 DPF Date of issue:20/09/2016.

Product code: 51391 Version:7

If no REACH registration numbers are shown, either the substance is exempted from registration, does not exceed the minimum volume threshold that requires registration, still has no deadline for registration or such information is private.

Type

- [1] Substance classified with a health or environmental hazard
- [2] Substance with a workplace exposure limit
- [3] Substance meets the criteria for PBT according to Regulation (EC) No. 1907/2006, Annex XIII
- [4] Substance meets the criteria for vPvB according to Regulation (EC) No. 1907/2006, Annex XIII
- [5] Substance of equivalent concern

Occupational exposure limits, if available, are listed in Section 8.

SECTION 4: First aid measures

4.1 Description of first aid measures

Eye contact: Immediately flush eyes with plenty of water, occasionally lifting the upper and lower

eyelids. Check for and remove any contact lenses. Get medical attention if irritation

occurs.

Inhalation: Remove victim to fresh air and keep at rest in a position comfortable for breathing.

Get medical attention if symptoms occur.

Skin contact: Flush contaminated skin with plenty of water. Remove contaminated clothing and

shoes. Get medical attention if symptoms occur.

Ingestion: Wash out mouth with water. Remove victim to fresh air and keep at rest in a

position comfortable for breathing. If material has been swallowed and the exposed person is conscious, give small quantities of water to drink. Do not induce vomiting unless directed to do so by medical personnel. Get medical attention if symptoms

occur.

Protection of first-aiders: No action shall be taken involving any personal risk or without suitable training.

4.2 Most important symptoms and effects, both acute and delayed

Potential acute health effects

Eye contact
 Inhalation
 No known significant effects or critical hazards.
 Skin contact
 Ingestion
 No known significant effects or critical hazards.
 No known significant effects or critical hazards.
 No known significant effects or critical hazards.

Over-exposure signs/symptoms

Eye contact: No specific data.Inhalation: No specific data.Skin contact: No specific data.Ingestion: No specific data.

4.3 Indication of any immediate medical attention and special treatment needed

Notes to physician : Treat symptomatically. Contact poison treatment specialist immediately if large

quantities have been ingested or inhaled.

Specific treatments: No specific treatment.

CEPSA Comercial Petróleo, S.A.U. Torre CEPSA, Paseo de la Castellana 259 A 28046 Madrid - España Date of issue/Date of revision

: 20/09/2016.



Conforms to Regulation (EC) No. 1907/2006 (REACH), Annex II

Date of issue: 20/09/2016. Product name: XTAR 5W30 C1 DPF

Version:7 Product code: 51391

SECTION 5: Firefighting measures

5.1 Extinguishing media

Suitable : In case of fire, use water spray, foam, dry chemical or CO₂.

Not suitable : Do not use water jet.

5.2 Special hazards arising from the substance or mixture

Hazards from the substance or mixture : In a fire or if heated, a pressure increase will occur and the container may burst.

Hazardous thermal decomposition products : No specific data.

5.3 Advice for firefighters

Special protective actions for fire-fighters

: Promptly isolate the scene by removing all persons from the vicinity of the incident if there is a fire. No action shall be taken involving any personal risk or without suitable training.

Special protective equipment for fire-fighters : Fire-fighters should wear appropriate protective equipment and self-contained breathing apparatus (SCBA) with a full face-piece operated in positive pressure mode. Clothing for fire-fighters (including helmets, protective boots and gloves) conforming to European standard EN 469 will provide a basic level of protection for chemical incidents.

SECTION 6: Accidental release measures

6.1 Personal precautions, protective equipment and emergency procedures

For non-emergency personnel

: No action shall be taken involving any personal risk or without suitable training. Evacuate surrounding areas. Keep unnecessary and unprotected personnel from entering. Do not touch or walk through spilled material. Put on appropriate personal protective equipment.

For emergency responders: If specialised clothing is required to deal with the spillage, take note of any information in Section 8 on suitable and unsuitable materials. See also the information in "For non-emergency personnel".

6.2 Environmental precautions

Avoid dispersal of spilled material and runoff and contact with soil, waterways, drains and sewers. Inform the relevant authorities if the product has caused environmental pollution (sewers, waterways, soil or air).

6.3 Methods and materials for containment and cleaning up

Small spill

Stop leak if without risk. Move containers from spill area. Dilute with water and mop up if water-soluble. Alternatively, or if water-insoluble, absorb with an inert dry material and place in an appropriate waste disposal container. Dispose of via a licensed waste disposal contractor.

Large spill

: Stop leak if without risk. Move containers from spill area. Prevent entry into sewers, water courses, basements or confined areas. Wash spillages into an effluent treatment plant or proceed as follows. Contain and collect spillage with noncombustible, absorbent material e.g. sand, earth, vermiculite or diatomaceous earth and place in container for disposal according to local regulations. Dispose of via a licensed waste disposal contractor.

CEPSA Comercial Petróleo, S.A.U. Torre CEPSA, Paseo de la Castellana 259 A 28046 Madrid - España

Date of issue/Date of revision

: 20/09/2016.



Conforms to Regulation (EC) No. 1907/2006 (REACH), Annex II

Product name: XTAR 5W30 C1 DPF Date of issue:20/09/2016.

Product code: 51391 Version:7

6.4 Reference to other

sections

: See Section 1 for emergency contact information.

See Section 8 for information on appropriate personal protective equipment.

See Section 13 for additional waste treatment information.

SECTION 7: Handling and storage

The information in this section contains generic advice and guidance. The list of Identified Uses in Section 1 should be consulted for any available use-specific information provided in the Exposure Scenario(s).

7.1 Precautions for safe handling

Protective measures

: Put on appropriate personal protective equipment (see Section 8).

Advice on general occupational hygiene

: Eating, drinking and smoking should be prohibited in areas where this material is handled, stored and processed. Workers should wash hands and face before eating, drinking and smoking. Remove contaminated clothing and protective equipment before entering eating areas. See also Section 8 for additional

information on hygiene measures.

7.2 Conditions for safe storage, including any incompatibilities

Store in accordance with local regulations. Store in original container protected from direct sunlight in a dry, cool and well-ventilated area, away from incompatible materials (see Section 10) and food and drink. Keep container tightly closed and sealed until ready for use. Containers that have been opened must be carefully resealed and kept upright to prevent leakage. Do not store in unlabeled containers. Use appropriate containment to avoid environmental contamination.

7.3 Specific end use(s)

Recommendations : Not available.

Industrial sector specific : Not available.

solutions

SECTION 8: Exposure controls/personal protection

The information in this section contains generic advice and guidance. The list of Identified Uses in Section 1 should be consulted for any available use-specific information provided in the Exposure Scenario(s).

8.1 Control parameters

Occupational exposure limits

Product/ingredient name	Exposure limit values
Lubricating oils (petroleum), C20-50, hydrotreated neutral oil-based	INSHT (Spain, 1/2015). TWA: 5 mg/m³ 8 hours. Form: mist STEL: 10 mg/m³ 15 minutes. Form: mist
Mineral Oil	EU OEL (Europe). STEL: 5 mg/m³ TWA: 5 mg/m³

Recommended monitoring procedures

: If this product contains ingredients with exposure limits, personal, workplace atmosphere or biological monitoring may be required to determine the effectiveness of the ventilation or other control measures and/or the necessity to use respiratory protective equipment. Reference should be made to monitoring standards, such as the following: European Standard EN 689 (Workplace atmospheres - Guidance for the assessment of exposure by inhalation to chemical agents for comparison with limit values and measurement strategy) European Standard EN 14042 (Workplace atmospheres - Guide for the application and use of procedures for the assessment of exposure to chemical and biological agents) European Standard EN 482



Conforms to Regulation (EC) No. 1907/2006 (REACH), Annex II

Product name: XTAR 5W30 C1 DPF Date of issue: 20/09/2016.

Product code: 51391 Version:7

> (Workplace atmospheres - General requirements for the performance of procedures for the measurement of chemical agents) Reference to national guidance

documents for methods for the determination of hazardous substances will also be

required.

Derived effect levels

No DELs available.

Predicted effect concentrations

No PECs available.

8.2 Exposure controls

Appropriate engineering controls

: Good general ventilation should be sufficient to control worker exposure to airborne

contaminants.

Individual protection measures

: Wash hands, forearms and face thoroughly after handling chemical products, Hygiene measures

> before eating, smoking and using the lavatory and at the end of the working period. Appropriate techniques should be used to remove potentially contaminated clothing. Wash contaminated clothing before reusing. Ensure that eyewash stations and

safety showers are close to the workstation location.

: Safety eyewear complying with an approved standard should be used when a risk Eye/face protection

> assessment indicates this is necessary to avoid exposure to liquid splashes, mists, gases or dusts. If contact is possible, the following protection should be worn, unless the assessment indicates a higher degree of protection: safety glasses with side-shields. Recommended: Goggles, face shield or other full-face protection should be worn if there is a risk of direct exposure to aerosols or splashes or when

material is handled hot.

Skin protection

controls

: Chemical-resistant, impervious gloves complying with an approved standard should Hand protection

be worn at all times when handling chemical products if a risk assessment indicates

this is necessary.

: Personnel should wear protective clothing. Synthetic or rubber gloves or polyvinyl **Body protection**

chloride (PVC)

: Suitable protective footwear. Other skin protection

: In case of insufficient ventilation, wear suitable respiratory equipment. Respiratory protection

Environmental exposure : Emissions from ventilation or work process equipment should be checked to

> ensure they comply with the requirements of environmental protection legislation. In some cases, fume scrubbers, filters or engineering modifications to the process

equipment will be necessary to reduce emissions to acceptable levels.

SECTION 9: Physical and chemical properties

9.1 Information on basic physical and chemical properties

Physical state : Liquid.

Color : ASTM L3.5 : Characteristic. Odor . Not available. **Odor threshold** : Not available. pН

Melting point/freezing point

Initial boiling point and

boiling range

: Not available.

: -39°C

: Open cup: >200°C Flash point

: Not available. **Evaporation rate**

Date of issue/Date of revision

: 20/09/2016.

Page: 6/12



Conforms to Regulation (EC) No. 1907/2006 (REACH), Annex II

Date of issue: 20/09/2016. Product name: XTAR 5W30 C1 DPF

Version:7 Product code: 51391

Flammability (solid, gas) : Not available. : Not applicable. **Burning time Burning rate** : Not applicable. Upper/lower flammability or : Not available.

explosive limits

Vapor pressure

Vapor density

: Not available. Not available.

Not available. Relative density 0,8503 g/cm3 [15°C] **Density**

Solubility(ies) Insoluble in the following materials: cold water and hot water.

Partition coefficient: n-octanol/: Not available.

water

Auto-ignition temperature : Not available. **Decomposition temperature** : Not available.

Viscosity : Kinematic (40°C): 0,5282 cm²/s

Explosive properties : Not available. **Oxidizing properties** : Not available.

9.2 Other information

No additional information.

SECTION 10: Stability and reactivity

10.1 Reactivity : No specific test data related to reactivity available for this product or its ingredients.

10.2 Chemical stability : The product is stable.

10.3 Possibility of hazardous reactions : Under normal conditions of storage and use, hazardous reactions will not occur.

10.4 Conditions to avoid : No specific data.

10.5 Incompatible materials : No specific data.

10.6 Hazardous decomposition products : Under normal conditions of storage and use, hazardous decomposition products

should not be produced.

SECTION 11: Toxicological information

11.1 Information on toxicological effects

Acute toxicity

Product/ingredient name	Result	Species	Dose	Exposure
Lubricating oils (petroleum), C20-50, hydrotreated neutral oil-based	LC50 Inhalation Dusts and mists	Rat	5,53 mg/l	4 hours
	LD50 Dermal LD50 Oral		>2000 mg/kg >5000 mg/kg	-

Conclusion/Summary : Based on available data, the classification criteria are not met.

CEPSA Comercial Petróleo, S.A.U. Torre CEPSA, Paseo de la Castellana 259 A 28046 Madrid - España

Date of issue/Date of revision

: 20/09/2016.

Page: 7/12



Conforms to Regulation (EC) No. 1907/2006 (REACH), Annex II

Product name: XTAR 5W30 C1 DPF Date of issue:20/09/2016.

Product code: 51391 Version:7

Acute toxicity estimates

Not available.

Irritation/Corrosion

Conclusion/Summary:

Eyes : Based on available data, the classification criteria are not met.

Skin : Based on available data, the classification criteria are not met.

Respiratory : Based on available data, the classification criteria are not met.

Sensitization

Conclusion/Summary:

Skin : Based on available data, the classification criteria are not met.Respiratory : Based on available data, the classification criteria are not met.

Mutagenicity

Conclusion/Summary: Sased on available data, the classification criteria are not met.

Carcinogenicity

Conclusion/Summary: Based on available data, the classification criteria are not met.

Reproductive toxicity

Conclusion/Summary: Based on available data, the classification criteria are not met.

Teratogenicity

Conclusion/Summary: Based on available data, the classification criteria are not met.

Specific target organ toxicity (single exposure)

Not available.

Specific target organ toxicity (repeated exposure)

Not available.

Aspiration hazard

Product/ingredient name	Result
Lubricating oils (petroleum), C20-50, hydrotreated neutral oil-based	ASPIRATION HAZARD - Category 1
Hydrotreated heavy paraffinic distillates (petroleum) Mineral Oil	ASPIRATION HAZARD - Category 1 ASPIRATION HAZARD - Category 1

Information on the likely

routes of exposure

: Not available.

Potential acute health effects

Eye contact
 Inhalation
 No known significant effects or critical hazards.
 Skin contact
 Ingestion
 No known significant effects or critical hazards.
 No known significant effects or critical hazards.

Symptoms related to the physical, chemical and toxicological characteristics

Eye contact : No specific data.
Inhalation : No specific data.
Skin contact : No specific data.
Ingestion : No specific data.

Delayed and immediate effects and also chronic effects from short and long term exposure

CEPSA Comercial Petróleo, S.A.U. Torre CEPSA, Paseo de la Castellana 259 A 28046 Madrid - España Date of issue/Date of revision

: 20/09/2016.



Conforms to Regulation (EC) No. 1907/2006 (REACH), Annex II

Product name: XTAR 5W30 C1 DPF Date of issue:20/09/2016.

Product code: 51391 Version:7

Short term exposure

Potential immediate effects : Not available.

Potential delayed effects : Not available.

Long term exposure

Potential immediate effects : Not available.

Potential delayed effects : Not available.

Potential chronic health effects

Not available.

Conclusion/Summary: Based on available data, the classification criteria are not met.

General : No known significant effects or critical hazards.
 Carcinogenicity : No known significant effects or critical hazards.
 Mutagenicity : No known significant effects or critical hazards.
 Teratogenicity : No known significant effects or critical hazards.
 Developmental effects : No known significant effects or critical hazards.
 Fertility effects : No known significant effects or critical hazards.

Other information : Not available.

SECTION 12: Ecological information

12.1 Toxicity

Conclusion/Summary: Not available.

12.2 Persistence and degradability

Conclusion/Summary : Not available.

12.3 Bioaccumulative potential

Not available.

12.4 Mobility in soil

Soil/water partition

coefficient (Koc)

: Not available.

Mobility : Not available.

12.5 Results of PBT and vPvB assessment

PBT : Not applicable.

vPvB : Not applicable.

12.6 Other adverse effects : No known significant effects or critical hazards.

CEPSA Comercial Petróleo, S.A.U. Torre CEPSA, Paseo de la Castellana 259 A 28046 Madrid - España Date of issue/Date of revision : 20/09/2016.

Page: 9/12



Conforms to Regulation (EC) No. 1907/2006 (REACH), Annex II

Product name: XTAR 5W30 C1 DPF Date of issue:20/09/2016.

Product code: 51391 Version:7

SECTION 13: Disposal considerations

The information in this section contains generic advice and guidance. The list of Identified Uses in Section 1 should be consulted for any available use-specific information provided in the Exposure Scenario(s).

13.1 Waste treatment methods

Product

Methods of disposal: The generation of waste should be avoided or minimized wherever possible.

Disposal of this product, solutions and any by-products should at all times comply with the requirements of environmental protection and waste disposal legislation and any regional local authority requirements. Dispose of surplus and non-recyclable products via a licensed waste disposal contractor. Waste should not be disposed of untreated to the sewer unless fully compliant with the requirements of

all authorities with jurisdiction.

Hazardous waste : Within the present knowledge of the supplier, this product is not regarded as

hazardous waste, as defined by EU Directive 91/689/EEC.

Packaging

Methods of disposal: The generation of waste should be avoided or minimized wherever possible. Waste

packaging should be recycled. Incineration or landfill should only be considered

when recycling is not feasible.

Special precautions: This material and its container must be disposed of in a safe way. Empty containers

or liners may retain some product residues. Avoid dispersal of spilled material and

runoff and contact with soil, waterways, drains and sewers.

SECTION 14: Transport information

ADR/RID	ADN	IMDG	IATA
lot regulated.	Not regulated.	Not regulated.	Not regulated.
	-	-	-
	-	-	-
	-	-	-
lo.	No.	No.	No.
ransport within ser's premises: lways transport in losed containers that re upright and ecure. Ensure that ersons transporting ne product know what to do in the vent of an accident r spillage.	Transport within user's premises: always transport in closed containers that are upright and secure. Ensure that persons transporting the product know what to do in the event of an accident or spillage.	Transport within user's premises: always transport in closed containers that are upright and secure. Ensure that persons transporting the product know what to do in the event of an accident or spillage.	Transport within user's premises: always transport in closed containers that are upright and secure. Ensure that persons transporting the product know what to do in the event of an accident or spillage.
i tili reen	ransport within ser's premises: ways transport in osed containers that re upright and ecure. Ensure that ersons transporting e product know that to do in the vent of an accident	- No. Transport within ser's premises: ways transport in closed containers that re upright and ecure. Ensure that ersons transporting e product know that to do in the vent of an accident	



Conforms to Regulation (EC) No. 1907/2006 (REACH), Annex II

Product name: XTAR 5W30 C1 DPF
Product code: 51391 Date of issue:20/09/2016.

Version:7

14.7 Transport in bulk according to Annex II of MARPOL 73/78 and the IBC Code

Remarks : Not available.

SECTION 15: Regulatory information

15.1 Safety, health and environmental regulations/legislation specific for the substance or mixture

EU Regulation (EC) No. 1907/2006 (REACH)

International Convention for the Prevention of Pollution From Ships, MARPOL 73 in its amended form. International Maritime Dangerous Goods (Code IMDG) according to chapter VII of the Internation Convention for for the Safety of Life at Sea, 1974.

Annex XIV - List of substances subject to authorization

Annex XIV

None of the components are listed.

Substances of very high concern

None of the components are listed.

Annex XVII - Restrictions : Not applicable.

on the manufacture, placing on the market and use of certain dangerous substances, mixtures and articles

Other EU regulations

Europe inventory: Not determined.

Seveso II Directive

This product is not controlled under the Seveso II Directive.

International regulations

Chemical Weapon Convention List Schedules I, II & III Chemicals

Not listed.

Montreal Protocol (Annexes A, B, C, E)

Not listed.

Stockholm Convention on Persistent Organic Pollutants

Not listed

Rotterdam Convention on Prior Inform Consent (PIC)

Not listed.

UNECE Aarhus Protocol on POPs and Heavy Metals

Not listed.

International lists

National inventory

Australia : Not determined.
Canada : Not determined.
China : Not determined.
Japan : Not determined.

CEPSA Comercial Petróleo, S.A.U. Torre CEPSA, Paseo de la Castellana 259 A 28046 Madrid - España Date of issue/Date of revision

: 20/09/2016.

Page: 11/12



Conforms to Regulation (EC) No. 1907/2006 (REACH), Annex II

Product name: XTAR 5W30 C1 DPF Date of issue:20/09/2016.

Product code: 51391 Version:7

Malaysia : Not determined.

New Zealand : Not determined.

Philippines : Not determined.

Republic of Korea : Not determined.

Taiwan : Not determined.

United States : United States inventory (TSCA 8b): Not determined.

15.2 Chemical Safety

Assessment

: This product contains substances for which Chemical Safety Assessments are still

required.

SECTION 16: Other information

Mark Blue. Indicates information that has changed from previously issued version.

Abbreviations and

acronyms

: ATE = Acute Toxicity Estimate

CLP = Classification, Labelling and Packaging Regulation [Regulation (EC) No.

1272/2008]

DNEL = Derived No Effect Level

EUH statement = CLP-specific Hazard statement PNEC = Predicted No Effect Concentration RRN = REACH Registration Number

Procedure used to derive the classification according to Regulation (EC) No. 1272/2008 [CLP/GHS]

Classification	Justification
Not classified.	

Full text of abbreviated H

statements

: H304

May be fatal if swallowed and enters airways.

Full text of classifications

[CLP/GHS]

: Asp. Tox. 1, H304

ASPIRATION HAZARD - Category 1

Date of printing

Date of issue/ Date of revision

: 20/09/2016.: 20/09/2016.

Date of previous issue

: 20/04/2016.

Version : 7

Notice to reader:

To the best of our knowledge, the information contained herein is accurate. However, neither the abovenamed supplier, nor any of its subsidiaries, assumes any liability whatsoever for the accuracy or completeness of the information contained herein.

Final determination of suitability of any material is the sole responsibility of the user. All materials may present unknown hazards and should be used with caution. Although certain hazards are described herein, we cannot guarantee that these are the only hazards that exist.

CEPSA Comercial Petróleo, S.A.U. Torre CEPSA, Paseo de la Castellana 259 A 28046 Madrid - España Date of issue/Date of revision

: 20/09/2016.

Page: 12/12